

CAS CATANIA

Casaferro®
Porcelain, Elegance, Sustainability



CATANIA
MARBLE

CATANIA
MARBLE






Il marmo naturale di Catania viene prodotto dai Monti Aircote in Spagna. È sinonimo di nobiltà ed eleganza. Eredita i colori appassionati del paese spagnolo. Sia che venga utilizzato in case o luoghi di lavoro, può emanare un effetto spaziale caldo e di fascia alta.



Casaferro®
Porcelain. Elegance. Sustainability



Catania's natural marble is produced from the Aircote Mountains in Spain. It is synonymous with nobility and elegance. It inherits the passionate colors of the Spanish country. Whether it is used in homes or business places, it can give off a high-end and warm space effect.



CATANIA



IVORY

90x180_36"x72"
120x120_48"x48"
60x120_24"x48"
60x60_24"x24"

NUT

120x280_48"x110"
90x180_36"x72"
120x120_48"x48"
60x120_24"x48"
60x60_24"x24"

BEIGE

120x280_48"x110"
90x180_36"x72"
120x120_48"x48"
60x120_24"x48"
60x60_24"x24"




Floor-LCAS10
1200X2800mm 48"x110"



Floor-12CAS00
1200X1200mm 48"x48"


The soft beige tone is like the faint light at dawn,
soft, warm and charming.




IVORY-918CAS00 900x1800mm 36"x72"
Surface: Super White Body, Matt, Caveink



IVORY-12CAS00 1200x1200mm 48"x48"
Surface: 40° Super White Body, Matt, Caveink



IVORY-612CAS00 600x1200mm 24"x48"
Surface: Matt, Caveink



IVORY-60CAS00 600x600mm 24"x24"







Floor-12CAS10
1200X1200mm 48"x48"



It presents a gentle and elegant natural beauty without losing the graceful beauty of exotic customs, creating an ultimate artistic space comparable to natural marble.





NUT-LCAS10
Surface: Cave-ink 1200x2800mm 48"x110"




NUT-918CAS10
Surface: Super White Body, Matt, Caveink 900x1800mm 36"x72"



NUT-12CAS10
Surface: 40° Super White Body, Matt, Caveink 1200x1200mm 48"x48"



NUT-612CAS10
Surface: Matt, Caveink 600x1200mm 24"x48"



NUT-60CAS10
600x600mm 24"x24"



3 PATTERNS(1200x2800mm)/10 PATTERNS(1200x1200mm) /24 PATTERNS(600x600mm) /12 PATTERNS(600x1200mm)



Floor-12CAS02
1200X1200mm 48"x48"

Rich and irregular texture,
matched with changing white patterns,
delicate and subtle.





BEIGE-LCAS02
Surface: Cave-ink 1200x2800mm 48"x110"



BEIGE-918CAS02
Surface: Super White Body, Matt, Caveink 900x1800mm 36"x72"



BEIGE-12CAS02
Surface: 40° Super White Body, Matt, Caveink 1200x1200mm 48"x48"



BEIGE-612CAS02
Surface: Matt, Caveink 600x1200mm 24"x48"



BEIGE-60CAS02
600x600mm 24"x24"



3 PATTERNS(1200x2800mm)/10 PATTERNS(1200x1200mm) /24 PATTERNS(600x600mm) /12 PATTERNS(600x1200mm)

MOSAIC




M12
300X300mm




M21
320X268mm



M13
285X285mm



M32
275X275mm



M31
300X300mm



M11
300X300mm



M22
300X300mm



M23
300X300mm



M51
610X813mm

PRODUCT FEATURE 产品特点 / APPLICATION 应用 / INSTALLATION GUIDANCE 安装指南

 TEXTURE RATING 纹理评级	 MIN LAYING 最小铺设间距3mm	 RECTIFIED 精准的尺寸	 WALL TILES 墙砖	 FLOOR TILES 地砖	 COLOURS 颜色	 SIZES 尺寸	 SURFACES 表面效果
---	--	---	---	--	--	--	---

 V1	 V2	 √ V3	 V4
V1=Uniform Appearance		V2=Slight Variation	
V3=Moderate Variation		V4=Substantial Variation	

TECHNICAL SPECIFICATION 技术标准

MEASUREMENT AND SURFACE APPEARANCE 尺寸和表面效果	STANDARD PRESCRIBED VALUES 标准规定值	VALUES 标准值(600×600mm)	VALUES 标准值(600×1200mm)	VALUES 标准值(1200×1200mm)	VALUES 标准值(900×1800mm)	VALUES 标准值(1200×2800mm)
Dimensions & Surface Quality						
 Length and Width 长度和宽度	±0.6% max.	-0.03-0.03%	-0.03-0.03%	-0.03-0.03%	-0.03-0.03%	-0.03-0.03%
 Thickness 厚度	±5% max.	9.0-9.5mm	10.0-10.5mm	10.0-10.5mm	10.0-10.5mm	10.0-10.5mm
 Orthogonality 直角度	±0.5% max.	-0.06-0.07%	-0.06-0.07%	-0.06-0.07%	-0.06-0.07%	-0.06-0.07%
 Straightness of sides 边直度	±0.5% max.	-0.06-0.07%	-0.02-0.03%	-0.02-0.03%	-0.02-0.03%	-0.02-0.03%
 Surfaces flatness 表面平整度	±0.5% max.	-0.05-0.07%	-0.09-0.11%	-0.09-0.11%	-0.09-0.11%	-0.09-0.11%
Physical Properties						
 Water absorption 吸水率	≤0.5%	≤0.5%	≤0.5%	≤0.5%	≤0.5%	≤0.5%
 Breaking strength 断裂强度	≥1300N	2265N	4031N	4031N	4031N	4031N
 Bending resistance 抗弯曲性	≥35N/mm²	38N/mm²	40N/mm²	40N/mm²	40N/mm²	40N/mm²
 Resistance to deep abrasion 耐磨程度	≤175mm³	Class 4	Class 4	Class 4	Class 4	Class 4
 Temperature shock resistance 耐高低温系数	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	Durable 耐温性好	Durable 耐温性好	Durable 耐温性好	Durable 耐温性好
 Resistance to frost 防冻性能	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹
 Non-slip 防滑系数						
 Colour resistance to light 颜色耐光性	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色
Chemical Properties						
 Chemical resistance 耐化学性	no visible changes when subjected to chemicals 遇化学物质不受影响	Durable 耐化学性能好	Durable 耐化学性能好	Durable 耐化学性能好	Durable 耐化学性能好	Durable 耐化学性能好
 Resistance to staining 抗染色	≥3	Class 5 5级	Class 5 5级	Class 5 5级	Class 5 5级	Class 5 5级

PACKING DETAILS 包装细节

SIZES 尺寸	PCS/CTN 片/箱	M ² /CTN 平方/箱	KG/CTN 千克/箱	CTN/PALLET 箱/托
				
600x600mm	4	1.44	30	40
600x1200mm	2	1.44	35	60
1200x1200mm	1	1.44	32	58/38/39
900x1800mm	1	1.62	35	60
1200x2800mm	1	3.36	50	60

Every appearance of **Casaferra**[®]
can make you feel the elegance of life

C10, Central Section, China Ceramics Industry Headquarters

No.68, West Ji Hua Road, Foshan City

www.casaferra.com.cn

TEL:0757-8533 9907