


Casaferro®
Porcelain. Elegance. Sustainability

HS HAWAII SANDSTONE



HAWAII SANDSTONE
ORIGINAL STONE

HAWAII SANDSTONE
ORIGINAL STONE





Sandstone è una persona che ha vissuto le vicissitudini della vita. È un dono estetico della natura e una scultura artistica di montagne e fiumi nel tempo. È ruvido e naturale senza perdere la sua grandezza.



Casaferro®
Porcelain. Elegance. Sustainability



Sandstone is a person who has experienced the vicissitudes of life. It is an aesthetic gift from nature and an artistic sculpture of mountains and rivers over time. It is rough and natural without losing its grandeur.

NERO

GRIGIO

BEIGE

IVORY

SIZE



600x1200mm 24"x48"



Floor-612HS5
600X1200mm 24"x48"




Floor-612HS1
600X1200mm 24"x48"

Hawaii is famous for its sea. The sandstone that has been washed and deposited by sea water is warmer and softer, leaving a unique imprint of sea water and a naturally carved beauty.

Hawaii Sandstone / 夏威夷砂岩



12 PATTERNS(600x1200mm)



IVORY-612HS1
Surface: Flat

600x1200mm 24"x48"



Floor-612HS3
600X1200mm 24"x48"



From the three aspects of natural color, texture and texture, the sandstone and rock layers are stacked and accumulated to form a soft natural texture.

Hawaii Sandstone / 夏威夷砂岩



12 PATTERNS(600x1200mm)



BEIGE-612HS3
Surface: Flat

600x1200mm 24"x48"



Floor-612HS5
600X1200mm 24"x48"



The Hawaiian beaches washed by the warm ocean show four colors, which are gifts from the seabed. The four warm background colors and soft touch hide rich connotations and infinite reverie. The art about nature wanders freely in the space.

Hawaii Sandstone / 夏威夷砂岩




12 PATTERNS(600x1200mm)



GRIGIO-612H55
Surface: Flat

600x1200mm 24"x48"




Blending to achieve a comfortable environment. The real and delicate texture engraved on the base is interlaced and layered, revealing the texture beauty and visual impact of Hawaii Sandstone.



Floor-612HS7
600X1200mm 24"x48"

Hawaii Sandstone / 夏威夷砂岩




12 PATTERNS(600x1200mm)



NERO-612HS7
Surface: Flat

600x1200mm 24"x48"

MOSAIC




M12
300X300mm




M21
320X268mm



M13
285X285mm




M32
275X275mm



M31
300X300mm



M11
300X300mm



M22
300X300mm



M23
300X300mm



M51
610X813mm

PRODUCT FEATURE 产品特点 / APPLICATION 应用 / INSTALLATION GUIDANCE 安装指南

 TEXTURE FAINTING 纹理评级	 MIN LAYING GAP 3mm 最小铺设间隙3mm	 RECTIFIED 精确的尺寸	 WALL TILES 墙砖	 FLOOR TILES 地砖	 COLOURS 颜色	 SIZES 尺寸	 SURFACES 表面效果
---------------------------------	--	------------------------	----------------------	-----------------------	-------------------	-----------------	----------------------



V1



√ V2



V3



V4

V1=Uniform Appearance
V3=Moderate Variation

V2=Slight Variation
V4=Substantial Variation

TECHNICAL SPECIFICATION 技术标准

MEASUREMENT AND SURFACE APPEARANCE 尺寸和表面效果	STANDARD PRESCRIBED VALUES 标准规定值	VALUES 标准值(600×1200mm)
Dimensions & Surface Quality		
Length and Width 长度和宽度	±0.6% max.	-0.03-0.03%
Thickness 厚度	±5% max.	10.0-10.5mm
Orthogonality 直角度	±0.5% max.	-0.06-0.07%
Straightness of sides 边直度	±0.5% max.	-0.02-0.03%
Surfaces flatness 表面平整度	±0.5% max.	-0.09-0.11%
Physical Properties		
Water absorption 吸水率	≤0.5%	≤0.5%
Breaking strength 断裂强度	≥1300N	4031N
Bending resistance 抗弯曲性	≥35N/mm ²	40N/mm ²
Resistance to deep abrasion 耐磨程度	≤175mm ³	Class 4
Temperature shock resistance 耐高低温系数	No visible crack 没有明显裂纹	Durable 耐温性好
Resistance to frost 防冻性能	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹
Non-slip 防滑系数		
Colour resistance to light 颜色耐光性	no colour changes 不褪色	no colour changes 不褪色
Chemical Properties		
Chemical resistance 耐化学性	no visible changes when subjected to chemicals 遇化学物质不受影响	Durable 耐化学性能好
Resistance to staining 抗染色	≥3	Class 5 5级

PACKING DETAILS 包装细节

SIZES 尺寸	PCS/CTN 片/箱	M ² /CTN 平方/箱	KG/CTN 千克/箱	CTN/PALLET 箱/托
600x1200mm	2	1.44	35	60

Every appearance of **Casaferra**[®]
can make you feel the elegance of life

C10, Central Section, China Ceramics Industry Headquarters

No.68, West Ji Hua Road, Foshan City

www.casaferra.com.cn

TEL:0757-8533 9907