


ONIX Onice

Casaferro®
Porcelain, Elegance, Sustainability

ONICE
MARBLE STONE



ONICE
MARBLE STONE





Onice trae ispirazione dalla preziosa giada proveniente dall'Iran e dal Pakistan. A causa della frequente collisione e subduzione delle placche geologiche, la cristallizzazione e la riorganizzazione di diversi minerali si intrecciano e si fondono, creando l'intricata struttura cristallina all'interno della giada Onice. Grazie alle sue preziose qualità e alle profonde connotazioni culturali, questa giada veniva spesso utilizzata per realizzare accessori e opere d'arte aristocratiche nell'antichità.




Casaferra[®]
Porcelain. Elegance. Sustainability



Onice is inspired by precious jade from Iran and Pakistan. Due to the frequent collision and subduction of geological plates, the crystallization and reorganization of different minerals are intertwined and fused, creating the intricate crystal structure inside the Onice jade. Due to its precious qualities and profound cultural connotations, this jade was often used to make aristocratic accessories and artworks in ancient times.

ONICE

SIZE



900x1800mm 36"x72"



600x1200mm 24"x48"

AVORIO

90x180_36"x72"
60x120_24"x48"



ROSA

90x180_36"x72"
60x120_24"x48"





Floor-918ONIX
900X1800mm 36"x72"



Floor & Wall-612ONIX03
600X1200mm 24"x48"



The light reflection on the surface is more uniform, making the texture more vivid under the background of light and shadow, showing the luster and transparency of natural jade, and creating a warm and delicate spatial atmosphere.


Floor -918ONIX
900X1800mm 36"x72"



Floor-918ONIX
900X1800mm 36"x72"



ONICE / 欧尼



20 PATTERNS(600x1200mm)



AVORIO 918ONIX

900x1800mm 36"x72"

Surface: Super White Body, , Amber



AVORIO 612ONIX

600x1200mm 24"x48"

Surface: Super White Body, Amber



After weathering, erosion and water scouring by nature, impurities on the surface are removed and the smooth and delicate texture inside is gradually revealed.



Floor & Wall -612ONIX03
600X1200mm 24"x48"

ONICE / 欧尼



20 PATTERNS(600x1200mm)



AVORIO 918ONIX03

900x1800mm 36"x72"

Surface: Super White Body, Amber




AVORIO 612ONIX03

600x1200mm 24"x48"

Surface: Super White Body, Amber

MOSAIC



M12
300X300mm



M21
320X268mm



M13
285X285mm



M32
275X275mm



M31
300X300mm



M11
300X300mm



M22
300X300mm



M23
300X300mm



M51
610X813mm

PRODUCT FEATURE 产品特点 / APPLICATION 应用 / INSTALLATION GUIDANCE 安装指南

 TEXTURE RATING 纹理评级	 MIN LAYING GAPS 最小铺设间隙3mm	 RECTIFIED 精准的尺寸	 WALL TILES 墙砖	 FLOOR TILES 地砖	 COLOURS 颜色	 SIZES 尺寸	 SURFACES 表面效果
----------------------------	----------------------------------	------------------------	----------------------	-----------------------	-------------------	-----------------	----------------------



V1



V2



√ V3



V4

V1=Uniform Appearance
V3=Moderate Variation
V2=Slight Variation
V4=Substantial Variation

TECHNICAL SPECIFICATION 技术标准

MEASUREMENT AND SURFACE APPEARANCE 尺寸和表面效果	STANDARD PRESCRIBED VALUES 标准规定值	VALUES 标准值(600×1200mm)	VALUES 标准值(900×1800mm)
Dimensions & Surface Quality			
Length and Width 长度和宽度	±0.6% max.	-0.03-0.03%	-0.03-0.03%
Thickness 厚度	±5% max.	10.0-10.5mm	10.0-10.5mm
Orthogonality 直角度	±0.5% max.	-0.06-0.07%	-0.06-0.07%
Straightness of sides 边直度	±0.5% max.	-0.02-0.03%	-0.02-0.03%
Surfaces flatness 表面平整度	±0.5% max.	-0.09-0.11%	-0.09-0.11%
Physical Properties			
Water absorption 吸水率	≤0.5%	≤0.5%	≤0.5%
Breaking strength 断裂强度	≥1300N	4031N	4031N
Bending resistance 抗弯强度	≥35N/mm²	40N/mm²	40N/mm²
Resistance to deep abrasion 耐磨程度	≤175mm³	Class 4	Class 4
Temperature shock resistance 耐高低温系数	No visible crack 没有明显裂纹	Durable 耐温性好	Durable 耐温性好
Resistance to frost 防冻性能	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹	No visible crack 没有明显裂纹
Non-slip 防滑系数			
Colour resistance to light 颜色耐光性	no colour changes 不褪色	no colour changes 不褪色	no colour changes 不褪色
Chemical Properties			
Chemical resistance 耐化学性	no visible changes when subjected to chemicals 遇化学物质不受影响	Durable 耐化学性能好	Durable 耐化学性能好
Resistance to staining 抗染色	≥3	Class 5 5级	Class 5 5级

PACKING DETAILS 包装细节

SIZES 尺寸	PCS/CTN 片/箱	M² /CTN 平方/箱	KG/CTN 千克/箱	CTN/PALLET 箱/托
600x1200mm	2	1.44	35	28/60
900x1800mm	1	1.62	40	56

Every appearance of **Casaferra**[®]
can make you feel the elegance of life

C10, Central Section, China Ceramics Industry Headquarters

No.68, West Ji Hua Road, Foshan City

www.casaferra.com

TEL:0757-8533 9907